

SEIZE THE ROAD



NEXEN TIRE

SUMMER TIRE PROGRAM

2019

PROVEN QUALITY BY GLOBAL MAGAZINE TEST



N'blue HD Plus

**"SATISFACTORY PRODUCT" BY
ADAC, GERMANY**


The N'blue HD Plus was awarded the "Satisfactory" grade for its best performance on dry and good gas mileage.



N'blue 4Season

**NEXEN TIRE IS THE WINNER OF THE
ADAC ALL-SEASON TIRE TEST**

ADAC, the largest automobile club in Europe tested 9 current all-season tires in the 175/65R14T dimension and N'blue 4 Season ranked first in the all-season tire test. Amidst the growing demand for all-season tires, Nexen Tire's N'blue 4 Season has proven its superiority, with the best outcome among 9 of the tires put forward by various tire makers.



N'FERA SU1

**"GOOD PRODUCT"
by AUTOBILD, GERMANY**

The N'FERA SU1 received the "GOOD" mark in the tire test conducted by Autobild thanks to its strong handling, braking, and hydroplaning performance.



OPTIMAL NEW TECHNOLOGY IS MORE THAN JUST A DREAM


NATURE BASED HIGH PERFORMANCE VEGETABLE OIL

Nature based High Performance Vegetable Oil is developed using processed oil based on sustainable nature substances instead of fossil fuel. It is then mixed with silica oil to reduce viscosity and improve machinability as well as dispersibility.



Rubber Process Oil

NEXEN TIRE's eco-friendly processed oil is made with sustainable vegetable resources extracted from palm. This increases compatibility between polymer and silica and as a result, improves rolling resistance, as well as snow and ice performance at low temperature when applied on the complete tread.





OFFICIAL PARTNER OF
MANCHESTER CITY FOOTBALL CLUB

MOVE BRILLIANTLY



OFFICIAL SLEEVE PARTNER OF MANCHESTER CITY

Since the beginning 2017/18 season, NEXEN TIRE has been the official sleeve partner of Manchester City (Official Sleeve Partner).

The company logo appears at all games of the team in the Premier League and domestic cup competitions.

The partnership extends over many powerful marketing platforms. Based on that, we've done advertising campaigns on television and print media. Consumers and fans are being engaged via social media platforms.



NEXEN TIRE SPEED RACING

NEXEN TIRE Speed Racing featuring heavy RVs racing on the track has enjoyed great popularity with many motor sport fans. It showcases various vehicles both at home and abroad, with the utmost driving skill and speed that makes it the home of Korean motor sports.



BASEBALL

NEXEN TIRE enhances its presence via partnership with Los Angeles Angels which is MLB's renowned team.

FORMULA DRIFT

NEXEN TIRE is an official major partner of Formula DRIFT since 2016, the premier United States drifting series. NEXEN TIRE has also renewed partnership for year 2018 and 2019 with Toyota and Papadakis Racing to support Fredric Aasbo, 2015 Formula DRIFT World Champion, currently piloting 2019 Toyota Corolla hatchback/ Rockstar Energy Drink. Also new roster for 2018 with 3 time champion Chris Forsberg with Nissan/ NOS Energy Drink and Toyota driver Ryan Tuerck in Toyota 86. NEXEN TIRE also supports several other Pro 1 drivers in the series (Jhonnattan Castro in Toyota 86, Alec Hohnadell in RAIN X/ Nissan S14, Dan Burkett in Toyota Supra, Kyle Mohan in Mazda MX-5). NEXEN TIRE is also one of semi exclusive tire supplier in Formula Drift Pro 2 series using N'Fera SUR4G.

FOOTBALL

NEXEN TIRE sponsors various football clubs around the globe including Manchester City Football Club in UK, SG Eintracht Frankfurt in Germany, Melbourne City Football Club in Australia, and New York City Football Club in USA.



ICE HOCKEY IN THE CZECH REPUBLIC

NEXEN TIRE sponsors Mlada Boleslav, a professional ice hockey team in the Czech Republic. Ice Hockey is the most popular sport in the Czech Republic and Mlada Boleslav is a team that remained strong in Extraliga, one of the world's top 10 ice hockey leagues, since it was established in 1908. Through region-specific sports marketing, NEXEN TIRE is able to enhance its presence in Europe.

VLN 24 HOURS

NEXEN TIRE sponsors promising racers and teams participated in the 24 Hours Race at Nurburgring, which is famous in Europe. This enables NEXEN TIRE to present motor sports fans in Europe with excitement while promoting the excellence of its products.

CJ SUPERRACE

The world's first BMW M Class race of the CJ SuperRace Championship is held in the Republic of Korea for three years. With a total of 6 rounds, BMW M4 Coupe will present a dynamic racing within the BMW M Class Race.



NEXEN TIRE is supplying its tires to
PORSCHE THE NEW MACAN as original fitment

BEST QUALITY, THE WHOLE WORLD WAS OBSERVED



PORSCHE

VEHICLE	PATTERN
THE NEW MACAN	N'FERA RU1

VOLKSWAGEN

VEHICLE	PATTERN
JETTA	N'Priz AH8
POLO	N'blue HD Plus
	N'FERA SU1
T-ROC	N'blue HD Plus
CADDY	N'blue Premium
PASSAT	N'FERA AU7

RENAULT

VEHICLE	PATTERN
CLIO	N'FERA AU5
MEGANE	N'blue HD Plus
TWINGO	N'blue Premium

DACIA

VEHICLE	PATTERN
LODGY	N'blue HD
DOKKER	N'blue HD

SKODA

VEHICLE	PATTERN
OCTAVIA	N'blue HD
FABIA	N'blue HD
	N'blue HD Plus
	N'blue HD
RAPID	N'FERA SU1
	N'blue HD Plus
KAROQ	N'FERA RU1
	N'blue HD Plus
SUPERB	N'blue HD Plus

SEAT

VEHICLE	PATTERN
ATECA	N'blue HD Plus
IBIZA	N'FERA SU1
	N'blue HD Plus

IVECO

VEHICLE	PATTERN
DAILY	ROADIAN CT8
DAILY WINTER	WINGUARD WT1

FIAT

VEHICLE	PATTERN
DUCATO	ROADIAN CT8
500 F/L	N'blue HD Plus
500L	CP671
	CP671
500X	WINGUARD Sport
TIPO	N'blue HD Plus
TORO	N'Priz RH1

JEEP

VEHICLE	PATTERN
GRAND CHEROKEE	N'Priz RH7α

DODGE

VEHICLE	PATTERN
DURANGO	N'Priz RH7α
CHALLENGER	N'FERA SUR4G
JOURNEY	N'Priz RH7

SUMMER TIRE PROGRAM

N FERA Sport 10

N FERA Primus 12

N FERA SU1 14

N blue HD Plus 20

N FERA RU1 26

ROADIAN AT 4X4 30

ROADIAN CT8 32

N blue 4Season 34





NEXEN NEXEN TIRE

N FERA Sport

PREMIUM-SPORT ULTRA HIGH PERFORMANCE




Benefits

Excellent Dry Performance

Excellent Wet Performance

Excellent Handling Performance

Key Performance Indicators



Wide Longitudinal Groove - Improved Drainage Performance






Wide Out-side Block Design - Excellent Dry & Wet Handling Performance at high speed



Rigid Center Block - Improved control response & strengthen stability



Out-side Groove wall Design - High speed Cornering & Grip Handling Performance

Inch	DIMENSION	XL	LI	SI	PR				RPB	OE	
SERIES 35											
20	*245/35R20	XL	95	Y	4				IN PROGRESS	RPB	
19	*255/35R19	XL	96	Y	4				IN PROGRESS	RPB	
	*235/35R19	XL	91	Y	4				IN PROGRESS	RPB	
	*225/35R19	XL	88	Y	4				IN PROGRESS	RPB	
18	*265/35R18	XL	97	Y	4				IN PROGRESS	RPB	
	*255/35R18	XL	94	Y	4				IN PROGRESS	RPB	
	*245/35R18	XL	92	Y	4				IN PROGRESS	RPB	
SERIES 40											
19	*245/40R19	XL	98	Y	4				IN PROGRESS	RPB	
18	*255/40R18	XL	99	Y	4				IN PROGRESS	RPB	
	*245/40R18	XL	97	Y	4				IN PROGRESS	RPB	
	*235/40R18	XL	95	Y	4				IN PROGRESS	RPB	
	*225/40R18	XL	92	Y	4				IN PROGRESS	RPB	
SERIES 45											
19	*245/45R19	XL	102	Y	4				IN PROGRESS	RPB	
18	*255/45R18	XL	103	Y	4				IN PROGRESS	RPB	
	*245/45R18	XL	100	Y	4				IN PROGRESS	RPB	
	*235/45R18	XL	98	Y	4				IN PROGRESS	RPB	
	*225/45R18	XL	95	Y	4				IN PROGRESS	RPB	
	17	*225/45R17	XL	94	Y	4				IN PROGRESS	RPB
SERIES 50											
18	*235/50R18	XL	101	Y	4				IN PROGRESS	RPB	
17	*225/50R17	XL	98	Y	4				IN PROGRESS	RPB	

* NEW

RPB = RIM PROTECTION BAR

N FERA Primus

ULTRA HIGH PERFORMANCE SUMMER



SPORT



PC / FULL-SIZE



PC / MID-SIZE

Benefits



Enhanced Wet & Dry Braking Performance



Improved Handling Performance



Advanced Safety

Key Performance Indicators

DRY PERFORMANCE



WET PERFORMANCE




ROLLING RESISTANCE



COMFORT / NOISE



WEAR



3+1 Wide grooves - Hydroplaning prevented by the optimum drain surfaces






3 Strong tread ribs - Acquire stability and instant handling performance



3D lateral grooves - Reduce braking distance on dry/wet Roads



Wear eye - Tread wear indicator visual aid of tread pattern wear condition

Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 40										
18	*225/40R18	XL	92	Y	4				IN PROGRESS	RPB
17	*245/40R17	XL	95	W	4				IN PROGRESS	RPB
	*235/40R17	XL	94	W	4				IN PROGRESS	RPB
	*215/40R17	XL	87	W	4				IN PROGRESS	RPB
	*205/40R17	XL	84	W	4				IN PROGRESS	RPB
16	*215/40R16	XL	86	W	4				IN PROGRESS	RPB
SERIES 45										
18	*245/45R18	XL	100	Y	4				IN PROGRESS	RPB
17	*245/45R17	XL	99	Y	4				IN PROGRESS	RPB
	*235/45R17	XL	97	Y	4				IN PROGRESS	RPB
	*235/45R17	XL	97	W	4				IN PROGRESS	RPB
	*225/45R17	XL	94	Y	4				IN PROGRESS	RPB
	*215/45R17	XL	91	W	4				IN PROGRESS	RPB
	*205/45R17	XL	88	W	4				IN PROGRESS	RPB
	*205/45R17	XL	88	V	4				IN PROGRESS	RPB
16	*225/45R16	XL	93	W	4				IN PROGRESS	RPB
	*215/45R16	XL	90	V	4				IN PROGRESS	RPB
	*205/45R16	XL	87	W	4				IN PROGRESS	RPB
	*195/45R16	XL	84	W	4				IN PROGRESS	RPB
15	*195/45R15		78	W	4				IN PROGRESS	RPB
SERIES 50										
17	*235/50R17	XL	100	W	4				IN PROGRESS	RPB
	*225/50R17	XL	98	Y	4				IN PROGRESS	RPB
	*225/50R17	XL	98	W	4				IN PROGRESS	RPB
	*225/50R17	XL	98	V	4				IN PROGRESS	RPB
	*225/50R17		94	V	4				IN PROGRESS	RPB
	*215/50R17	XL	95	W	4				IN PROGRESS	RPB
	*215/50R17	XL	95	V	4				IN PROGRESS	RPB
	*205/50R17	XL	93	W	4				IN PROGRESS	RPB
16	*225/50R16	XL	96	W	4				IN PROGRESS	RPB
	*205/50R16	XL	91	W	4				IN PROGRESS	RPB
	*205/50R16		87	W	4				IN PROGRESS	RPB
	*185/50R16		81	V	4				IN PROGRESS	RPB
SERIES 55										
17	*235/55R17	XL	103	W	4				IN PROGRESS	RPB
	*225/55R17	XL	101	W	4				IN PROGRESS	RPB
	*215/55R17	XL	98	W	4				IN PROGRESS	RPB
	*215/55R17		94	V	4				IN PROGRESS	RPB
	*205/55R17	XL	95	Y	4				IN PROGRESS	RPB
16	*225/55R16	XL	99	W	4				IN PROGRESS	RPB
	*225/55R16		95	W	4				IN PROGRESS	RPB
	*215/55R16	XL	97	W	4				IN PROGRESS	RPB
	*205/55R16	XL	94	W	4				IN PROGRESS	RPB
	*205/55R16		91	W	4				IN PROGRESS	RPB
	*195/55R16	XL	91	V	4				IN PROGRESS	RPB
	*185/55R16		83	V	4				IN PROGRESS	RPB

* NEW

RPB = RIM PROTECTION BAR

N FERA SU1

PREMIUM-SPORT ULTRA HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance

Excellent Handling Performance




4 Wide longitudinal grooves - Improved drainage performance



Hydroplaning lateral grooves - Excellent wet performance







3 Center block - Straight Stability



Optimized shoulder block - Max grip during cornering

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 25										
22	295/25R22	XL	97	Y	4	E	B	1(71dB)	RPB	
SERIES 30										
22	265/30R22	XL	97	Y	4	C	B	1(69dB)	RPB	
	245/30R22	XL	92	Y	4	C	C	1(69dB)	RPB	
	235/30R22	XL	90	Y	4	E	C	1(68dB)	RPB	
20	285/30R20	XL	99	Y	4	E	B	1(69dB)	RPB	
	275/30R20	XL	97	Y	4	C	B	2(72dB)	RPB	
	245/30R20	XL	90	Y	4	E	A	1(68dB)	RPB	
	235/30R20	XL	88	Y	4	E	B	1(69dB)	RPB	
	225/30R20	XL	85	Y	4	E	B	1(69dB)	RPB	
19	275/30R19	XL	96	Y	4	C	B	2(72dB)	RPB	
	265/30R19	XL	93	Y	4	C	B	1(70dB)	RPB	
	255/30R19	XL	91	Y	4	E	B	1(69dB)	RPB	
SERIES 35										
20	275/35R20	XL	102	Y	4	C	B	1(70dB)	RPB	
	255/35R20	XL	97	Y	4	C	B	1(68dB)	RPB	
	245/35R20	XL	95	Y	4	C	B	1(69dB)	RPB	
	225/35R20	XL	90	Y	4	E	A	1(69dB)	RPB	
19	275/35R19	XL	100	Y	4	C	A	1(69dB)	RPB	
	255/35R19	XL	96	Y	4	C	A	1(69dB)	RPB	
	255/35R19	XL	96	W	4	C	C	2(72dB)	RPB	
	245/35R19	XL	93	Y	4	C	B	1(69dB)	RPB	
	235/35R19	XL	91	Y	4	C	B	2(72dB)	RPB	
	225/35R19	XL	88	Y	4	C	B	2(72dB)	RPB	
18	275/35R18	XL	99	W	4	C	B	1(70dB)	RPB	
	265/35R18	XL	97	Y	4	C	B	1(70dB)	RPB	
	255/35R18	XL	94	Y	4	C	B	2(72dB)	RPB	
	245/35R18	XL	92	Y	4	C	B	2(72dB)	RPB	
	225/35R18	XL	87	Y	4	E	B	2(72dB)	RPB	
	215/35R18	XL	84	Y	4	E	B	2(72dB)	RPB	
SERIES 40										
20	275/40R20	XL	106	Y	4	C	A	2(72dB)	RPB	
	245/40R20	XL	99	Y	4	C	A	2(71dB)	RPB	
19	275/40R19	XL	105	Y	4	B	A	1(70dB)	RPB	
	255/40R19	XL	100	Y	4	C	A	1(69dB)	RPB	
	245/40R19	XL	98	Y	4	C	B	2(72dB)	RPB	
	235/40R19	XL	96	Y	4	C	B	2(70dB)	RPB	
	225/40R19	XL	93	Y	4	C	B	1(69dB)	RPB	
18	265/40R18	XL	101	Y	4	C	B	1(70dB)	RPB	
	255/40R18	XL	99	Y	4	C	B	2(72dB)	RPB	
	245/40R18	XL	97	Y	4	C	B	2(72dB)	RPB	
	235/40R18	XL	95	Y	4	C	B	2(72dB)	RPB	
	225/40R18	XL	92	Y	4	E	A	2(72dB)	RPB	
	225/40R18		88	W	4	E	C	2(70dB)	RPB	HYUNDAI VELOSTER
	215/40R18	XL	89	Y	4	C	B	2(72dB)	RPB	
17	275/40R17		98	W	4	E	B	1(70dB)	RPB	
	255/40R17		94	W	4	C	B	2(72dB)	RPB	
	245/40R17	XL	95	Y	4	C	B	1(68dB)	RPB	
	245/40R17	XL	95	W	4	C	B	2(72dB)	RPB	
	235/40R17	XL	94	W	4	C	B	2(72dB)	RPB	
	215/40R17	XL	87	W	4	E	B	2(72dB)	RPB	
	205/40R17	XL	84	W	4	E	B	2(72dB)	RPB	
16	215/40R16	XL	86	W	4	E	B	2(71dB)	RPB	
	205/40R16		79	W	4	E	B	2(71dB)	RPB	

RPB = RIM PROTECTION BAR

N FERA SU1

PREMIUM-SPORT ULTRA HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance

Excellent Handling Performance




4 Wide longitudinal grooves - Improved drainage performance



Hydroplaning lateral grooves - Excellent wet performance







3 Center block - Straight Stability



Optimized shoulder block - Max grip during cornering

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 45										
20	245/45R20	XL	103	Y	4	C	B	2(71dB)	RPB	
19	255/45R19	XL	104	Y	4	C	A	1(69dB)	RPB	
	245/45R19	XL	102	Y	4	C	B	2(72dB)	RPB	
	225/45R19	XL	96	W	4	C	B	2(70dB)	RPB	
18	255/45R18	XL	103	Y	4	C	B	2(72dB)	RPB	
	245/45R18	XL	100	Y	4	C	B	2(72dB)	RPB	
	245/45R18		96	V	4	C	B	2(70dB)	RPB	RENAULT SAMSUNG SM6
	235/45R18	XL	98	Y	4	C	B	2(72dB)	RPB	
	235/45R18		94	V	4	E	B	2(70dB)	RPB	
	225/45R18	XL	95	Y	4	C	C	2(72dB)	RPB	
	225/45R18	XL	95	V	4	F	A	2(71dB)	RPB	
	215/45R18	XL	93	W	4	C	B	1(69dB)	RPB	
17	245/45R17	XL	99	Y	4	C	A	1(69dB)	RPB	
	235/45R17	XL	97	Y	4	C	B	1(68dB)	RPB	
	235/45R17	XL	97	W	4	C	B	2(72dB)	RPB	
	225/45R17	XL	94	Y	4	C	A	1(69dB)	RPB	
	225/45R17		91	Y	4	E	C	2(70dB)	RPB	
	215/45R17	XL	91	W	4	C	B	2(72dB)	RPB	
	215/45R17		87	V	4	E	C	2(71dB)	RPB	
	205/45R17	XL	88	W	4	C	B	2(72dB)	RPB	
16	225/45R16	XL	93	W	4	C	B	1(69dB)	RPB	
	215/45R16	XL	90	V	4	E	B	1(69dB)	RPB	
	205/45R16	XL	87	W	4	C	B	2(72dB)	RPB	
	195/45R16	XL	84	W	4	E	B	1(69dB)	RPB	
15	195/45R15		78	W	4	E	B	1(68dB)	RPB	
SERIES 50										
18	245/50R18	XL	104	W	4	C	B	2(72dB)	RPB	
	235/50R18	XL	101	W	4	C	B	2(72dB)	RPB	
17	235/50R17	XL	100	W	4	C	B	2(70dB)	RPB	
	225/50R17	XL	98	Y	4	C	B	2(70dB)	RPB	
	225/50R17	XL	98	W	4	C	B	2(72dB)	RPB	
	225/50R17	XL	98	V	4	C	A	2(71dB)	RPB	
	225/50R17		94	V	4	E	B	2(71dB)	RPB	
	215/50R17	XL	95	W	4	C	C	2(72dB)	RPB	
	215/50R17	XL	95	V	4	E	B	1(68dB)	RPB	HYUNDAI i40
	205/50R17	XL	93	W	4	E	B	2(71dB)	RPB	
16	225/50R16	XL	96	W	4	C	C	2(72dB)	RPB	
	205/50R16	XL	91	W	4	E	B	1(68dB)	RPB	
	205/50R16		87	W	4	E	B	2(71dB)	RPB	
	185/50R16		81	V	4	E	A	2(70dB)	RPB	

RPB = RIM PROTECTION BAR

N FERA SU1

PREMIUM-SPORT ULTRA HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance

Excellent Handling Performance



4 Wide longitudinal grooves - Improved drainage performance



Hydroplaning lateral grooves - Excellent wet performance







3 Center block - Straight Stability



Optimized shoulder block - Max grip during cornering

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 55										
19	235/55R19	XL	105	W	4	B	B	2(72dB)	RPB	
18	235/55R18	XL	104	W	4	B	B	2(72dB)	RPB	
17	245/55R17	XL	106	W	4	C	A	2(71dB)	RPB	
	235/55R17	XL	103	W	4	C	A	2(71dB)	RPB	
	225/55R17	XL	101	W	4	C	B	2(71dB)	RPB	
	225/55R17		97	V	4	C	B	2(69dB)	RPB	RENAULT SAMSUNG SM6
	225/55R17		97	V	4	C	B	2(69dB)		KIA CADENZA (K7), HYUNDAI GRANDEUR (IG)
	215/55R17	XL	98	W	4	C	B	2(72dB)	RPB	
	215/55R17		94	V	4	E	A	2(71dB)		HYUNDAI KONA
	205/55R17	XL	95	Y	4	E	B	1(67dB)	RPB	
16	225/55R16	XL	99	W	4	C	B	1(69dB)	RPB	
	225/55R16		95	W	4	C	B	2(71dB)	RPB	
	225/55R16		95	V	4	C	C	2(69dB)	RPB	
	215/55R16	XL	97	W	4	C	B	2(72dB)	RPB	
	215/55R16	XL	97	V	4	C	C	2(70dB)	RPB	
	205/55R16	XL	94	W	4	C	A	2(72dB)	RPB	
	205/55R16	XL	94	V	4	C	C	2(72dB)	RPB	
	205/55R16		91	W	4	E	B	2(69dB)	RPB	
	195/55R16	XL	91	V	4	C	B	2(70dB)		VW POLO
	185/55R16		83	V	4	E	B	2(70dB)	RPB	
SERIES 60										
16	215/60R16		95	V	4	C	B	2(69dB)		KIA OPTIMA (K5)
	205/60R16		92	H	4	B	B	2(71dB)		HYUNDAI KONA
SERIES 65										
16	205/65R16		95	H	4	C	B	2(70dB)		RENAULT SAMSUNG SM6
15	195/65R15		91	H	4	C	B	2(70dB)		KIA FORTE (K3)
	195/65R15		91	H	4	C	B	2(69dB)		HYUNDAI ELANTRA (AVANTE)

RPB = RIM PROTECTION BAR

N blue HD Plus

PREMIUM HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance


Improved Fuel Consumption



4 Wide longitudinal grooves - Improved drainage performance



High stiffness shoulder block - Enhanced handling & cornering







3 ribs stiffness - Enhanced driving stability



Lateral grooves design - Enhanced driving stability in wet

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 40										
18	225/40R18		88	V	4	E	B	2(69dB)		KIA FORTE (K3)
SERIES 45										
18	235/45R18		94	V	4	E	B	2(71dB)	RPB	KIA SOUL
17	215/45R17	XL	91	W	4	C	B	2(71dB)	RPB	VW POLO
16	195/45R16	XL	84	V	4	C	B	1(69dB)	RPB	KIA PICANTO
SERIES 50										
17	215/50R17	XL	95	V	4	C	B	1(69dB)		
	205/50R17	XL	93	V	4	C	B	2(70dB)		
16	225/50R16		92	V	4	C	C	2(69dB)		
	205/50R16		87	V	4	C	B	2(69dB)		
	205/50R16		87	H	4	E	B	2(69dB)		
	195/50R16	XL	88	V	4	C	B	2(71dB)		
	195/50R16		84	V	4	E	A	1(68dB)		
15	205/50R15		86	V	4	C	A	2(69dB)		
	195/50R15		82	V	4	E	C	1(68dB)		
SERIES 55										
17	235/55R17		99	V	4	C	B	2(69dB)		
	215/55R17		94	V	4	C	B	2(69dB)		
	215/55R17		94	V	4	E	B	2(69dB)		KIA SOUL
	205/55R17	XL	95	V	4	C	B	1(69dB)		
16	225/55R16	XL	99	V	4	C	B	2(72dB)		
	225/55R16	XL	99	H	4	C	B	2(72dB)		
	215/55R16		93	V	4	C	B	2(69dB)		
	205/55R16		91	V	4	C	B	1(68dB)		
	205/55R16		91	V	4	B	B	2(70dB)		RENAULT MEGANE
	205/55R16		91	V	4	B	B	2(70dB)		FIAT TIPO
	205/55R16		91	V	4	C	B	1(68dB)		SKODA OCTAVIA
	205/55R16		91	H	4	C	C	2(71dB)		KIA FORTE (K3)
	195/55R16		87	V	4	C	B	1(68dB)		
	195/55R16		87	H	4	C	C	2(69dB)		
15	205/55R15		88	V	4	E	B	2(70dB)		
	195/55R15		85	V	4	C	B	2(69dB)		
	195/55R15		85	H	4	E	B	2(69dB)		
	185/55R15	XL	86	H	4	B	C	2(70dB)		KIA PICANTO
	185/55R15		82	V	4	E	C	2(68dB)		
	185/55R15		82	H	4	E	C	2(68dB)		
	175/55R15		77	T	4	E	B	2(70dB)		
14	185/55R14		80	H	4	E	B	2(69dB)		

RPB = RIM PROTECTION BAR

N blue HD Plus

PREMIUM HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance


Improved Fuel Consumption




4 Wide longitudinal grooves - Improved drainage performance



High stiffness shoulder block - Enhanced handling & cornering







3 ribs stiffness - Enhanced driving stability



Lateral grooves design - Enhanced driving stability in wet

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 60										
17	235/60R17		102	H	4	C	B	2(71dB)		
	225/60R17		99	V	4	C	C	2(71dB)		
	225/60R17		99	H	4	C	B	2(70dB)		
	215/60R17		96	H	4	C	B	2(70dB)		
16	235/60R16		100	H	4	B	B	2(70dB)		
	215/60R16	XL	99	V	4	C	B	1(69dB)		
	215/60R16	XL	99	H	4	C	B	1(69dB)		
	215/60R16		95	V	4	C	B	2(70dB)		SKODA SUPERB
	215/60R16		95	V	4	C	B	2(70dB)		VW T-ROC, SEAT ATECA
	215/60R16		95	V	4	C	C	2(71dB)		
	215/60R16		95	H	4	B	B	2(68dB)		
	205/60R16		92	V	4	C	B	2(70dB)		
	205/60R16		92	V	4	C	B	2(71dB)		VW T-ROC
	205/60R16		92	H	4	C	B	2(69dB)		KIA NEW SOUL
	205/60R16		92	H	4	C	B	2(70dB)		
	195/60R16		89	V	4	C	B	2(70dB)		
	195/60R16		89	H	4	C	B	2(70dB)		
175/60R16		82	H	4	E	B	2(69dB)			
15	215/60R15		94	H	4	B	B	1(68dB)		
	205/60R15		91	V	4	C	A	2(69dB)		
	205/60R15		91	H	4	C	A	2(69dB)		
	195/60R15		88	V	4	C	A	2(69dB)		
	195/60R15		88	H	4	C	A	2(69dB)		
	185/60R15		84	T	4	E	B	2(69dB)		
	185/60R15		84	T	4	C	B	2(69dB)		RENAULT TWINGO
	185/60R15		84	H	4	E	B	2(69dB)		
	185/60R15		84	H	4	C	B	2(69dB)		SKODA FABIA, RAPID, VW POLO, SEAT IBIZA
	175/60R15		81	V	4	E	C	2(70dB)		
	175/60R15		81	H	4	C	C	2(69dB)		
	165/60R15		77	T	4	E	C	2(68dB)		
	165/60R15		77	H	4	E	C	2(68dB)		
155/60R15		74	T	4	E	C	2(68dB)			
14	195/60R14		86	H	4	C	B	2(70dB)		
	185/60R14		82	T	4	E	C	2(69dB)		
	185/60R14		82	H	4	E	C	2(69dB)		
	175/60R14		79	H	4	C	C	2(70dB)		
	165/60R14		75	H	4	C	C	1(67dB)		
13	185/60R13		80	H	4	C	B	2(69dB)		

RPB = RIM PROTECTION BAR

N blue HD Plus

PREMIUM HIGH PERFORMANCE



Benefits

Excellent Dry Performance

Excellent Wet Performance

Improved Fuel Consumption




4 Wide longitudinal grooves - Improved drainage performance



High stiffness shoulder block - Enhanced handling & cornering







3 ribs stiffness - Enhanced driving stability



Lateral grooves design - Enhanced driving stability in wet

Key Performance Indicators



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 65										
16	215/65R16		98	H	4	C	B	1(67dB)		
	205/65R16		95	H	4	C	B	2(69dB)		
15	215/65R15		96	H	4	B	B	2(70dB)		
	205/65R15		94	V	4	C	B	2(69dB)		
	205/65R15		94	H	4	B	B	2(69dB)		
	195/65R15	XL	95	T	4	E	B	1(68dB)		
	195/65R15	XL	95	H	4	C	B	2(70dB)		
	195/65R15		91	V	4	E	B	1(68dB)		
	195/65R15		91	T	4	E	C	2(71dB)		
	195/65R15		91	T	4	B	B	2(69dB)		VW CADDY
	195/65R15		91	H	4	E	B	1(68dB)		
	185/65R15	XL	92	T	4	E	B	1(67dB)		
	185/65R15		88	T	4	E	B	2(68dB)		
	185/65R15		88	T	4	C	B	1(67dB)		RENAULT LODGY, DOKKER
	185/65R15		88	H	4	C	B	2(70dB)		VW POLO
	185/65R15		88	H	4	C	C	2(70dB)		KIA RIO
	175/65R15		84	T	4	E	B	2(68dB)		
	175/65R15		84	H	4	E	B	2(68dB)		
	165/65R15		81	T	4	C	C	2(68dB)		
165/65R15		81	T	4	C	B	2(70dB)		RENAULT TWINGO	
165/65R15		81	H	4	E	C	2(68dB)			
145/65R15		72	T	4	E	C	2(68dB)			
14	195/65R14		89	H	4	C	B	2(69dB)		
	185/65R14		86	T	4	E	B	2(68dB)		
	185/65R14		86	H	4	C	B	2(68dB)		
	175/65R14	XL	86	T	4	B	B	2(70dB)		KIA PICANTO
	175/65R14		82	T	4	C	B	2(70dB)		FIAT 500
	175/65R14		82	H	4	E	C	2(68dB)		
	165/65R14		79	T	4	E	B	2(69dB)		
	165/65R14		79	H	4	E	B	2(69dB)		
13	155/65R13		75	T	4	E	C	2(69dB)		
	165/65R13		77	T	4	E	C	2(69dB)		
155/65R13		73	T	4	E	B	1(67dB)			
SERIES 70										
16	225/70R16		103	T	4	C	C	2(70dB)		
15	205/70R15		96	T	4	C	C	2(69dB)		
14	205/70R14	XL	98	T	4	C	C	2(71dB)		
	195/70R14		91	T	4	E	C	2(70dB)		
	185/70R14		88	T	4	C	C	2(70dB)		KIA RIO
	175/70R14	XL	88	T	4	C	C	2(70dB)		
	175/70R14		84	T	4	E	B	2(70dB)		
	165/70R14	XL	85	T	4	C	C	2(70dB)		
	165/70R14		81	T	4	E	B	2(70dB)		
13	185/70R13		86	T	4	E	C	2(68dB)		
	175/70R13		82	T	4	E	C	2(68dB)		
	165/70R13		79	T	4	E	C	2(69dB)		
	155/70R13		75	T	4	E	B	2(68dB)		
	145/70R13		71	T	4	E	B	1(67dB)		
SERIES 80										
13	155/80R13		79	T	4	E	C	2(68dB)		

RPB = RIM PROTECTION BAR

NFERA RU1

SPORT PERFORMANCE SUV



reddot
design award



GERMAN
DESIGN
AWARD



EUROPEAN
PRODUCT
DESIGN
AWARD



AMA DESIGN
PRIZE 2018
WINNER



PIN UP
design award



GDCO DESIGN



SUV

Benefits



Excellent Dry Performance



Excellent Wet Performance



Excellent Handling Performance



3+1 asymmetric grooves -
Improved drainage performance



1 narrow groove on outside -
Handling & steering stability



Silent sipes -
Reduced pattern noise



In/Out balanced rib - Stability
during high speed driving

Key Performance Indicators

DRY PERFORMANCE



WET PERFORMANCE



ROLLING RESISTANCE






COMFORT / NOISE



WEAR



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 35										
20	275/35R20	XL	102	Y	4	E	A	2(70dB)	RPB	
	255/35R20	XL	97	Y	4	E	B	1(69dB)	RPB	
SERIES 40										
20	275/40R20	XL	106	Y	4	C	A	2(73dB)	RPB	
SERIES 45										
20	275/45R20	XL	110	Y	4	C	A	2(72dB)	RPB	
	265/45R20	XL	108	V	4	E	C	1(70dB)	RPB	
	255/45R20	XL	105	W	4	C	A	1(70dB)	RPB	
19	285/45R19	XL	111	W	4	C	A	1(71dB)	RPB	
	275/45R19	XL	108	Y	4	C	A	1(70dB)	RPB	
	255/45R19		100	V	4	E	B	2(72dB)	RPB	
	235/45R19		95	W	4	E	B	2(71dB)	RPB	
18	235/45R18	XL	98	W	4	E	A	2(72dB)	RPB	
	215/45R18	XL	93	W	4	E	B	1(68dB)	RPB	
SERIES 50										
20	255/50R20	XL	109	V	4	C	B	1(70dB)	RPB	
19	265/50R19	XL	110	Y	4	C	A	1(70dB)	RPB	
	255/50R19	XL	107	W	4	C	A	1(70dB)	RPB	
	255/50R19		103	Y	4	C	A	2(72dB)	RPB	PORSCHE MACAN
	235/50R19		99	V	4	E	A	2(71dB)	RPB	
18	285/50R18		109	W	4	C	B	2(73dB)	RPB	
	235/50R18	XL	101	Y	4	E	B	1(69dB)	RPB	
	235/50R18	XL	101	V	4	C	A	1(69dB)	RPB	
	225/50R18		95	V	4	E	A	2(69dB)	RPB	
17	225/50R17	XL	98	W	4	E	B	2(71dB)	RPB	
	225/50R17		94	W	4	C	B	2(70dB)	RPB	SKODA YETI [FACELIFT]
	205/50R17	XL	93	V	4	E	A	1(69dB)	RPB	

RPB = RIM PROTECTION BAR

NFERA RU1

SPORT PERFORMANCE SUV



reddot
design award



GERMAN
DESIGN
AWARD



EUROPEAN
PRODUCT
DESIGN
AWARD



AAU DESIGN
PRIZE 2018
WINNER



PIN UP
DESIGN AWARDS



GDCO DESIGN



SUV

Benefits



Excellent Dry Performance



Excellent Wet Performance



Excellent Handling Performance



3+1 asymmetric grooves -
Improved drainage performance



1 narrow groove on outside -
Handling & steering stability



Silent sipes -
Reduced pattern noise



In/Out balanced rib - Stability
during high speed driving

Key Performance Indicators

DRY PERFORMANCE



WET PERFORMANCE



ROLLING RESISTANCE






COMFORT / NOISE



WEAR



Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 55										
19	255/55R19	XL	111	V	4	C	A	1(70dB)	RPB	
	235/55R19	XL	105	V	4	C	B	2(72dB)	RPB	
	235/55R19		101	Y	4	C	B	2(70dB)	RPB	PORSCHE MACAN
	225/55R19		99	H	4	E	A	2(69dB)		
18	255/55R18	XL	109	Y	4	C	A	1(70dB)	RPB	
	255/55R18	XL	109	Y	4	C	A	1(70dB)	RPB	PORSCHE CAYENNE
	255/55R18	XL	109	W	4	C	A	2(72dB)	RPB	
	235/55R18		100	V	4	E	B	2(71dB)	RPB	
	225/55R18		98	V	4	E	A	2(69dB)	RPB	
	215/55R18	XL	99	V	4	C	B	2(71dB)	RPB	
17	275/55R17		109	V	4	C	A	2(71dB)	RPB	
	235/55R17	XL	103	V	4	C	B	1(69dB)	RPB	
	235/55R17		99	V	4	E	A	2(70dB)	RPB	
	225/55R17		97	W	4	E	B	1(68dB)	RPB	
	205/55R17		91	V	4	E	A	1(67dB)	RPB	
SERIES 60										
18	265/60R18		110	H	4	C	B	2(71dB)		
	235/60R18	XL	107	V	4	C	B	2(70dB)	RPB	
	235/60R18		103	W	4	E	B	2(70dB)	RPB	
	235/60R18		103	V	4	C	A	2(71dB)	RPB	
	235/60R18		103	H	4	C	B	2(69dB)		KIA SORRENTO
	225/60R18		100	W	4	E	B	2(71dB)	RPB	
17	255/60R17		106	V	4	C	A	2(72dB)	RPB	
	225/60R17		99	H	4	E	B	1(68dB)		
	215/60R17		96	H	4	E	C	2(71dB)		
16	215/60R16	XL	99	H	4	C	C	2(71dB)		
SERIES 65										
18	225/65R18		103	V	4	E	B	2(69dB)	RPB	
	225/65R18		103	H	4	E	B	2(69dB)		
17	255/65R17	XL	114	H	4	C	C	2(71dB)		
	235/65R17	XL	108	V	4	C	A	2(72dB)	RPB	
	235/65R17		104	H	4	C	B	2(69dB)		KIA SORRENTO
	225/65R17		102	H	4	E	A	2(69dB)		
16	255/65R16		109	V	4	C	A	1(69dB)	RPB	

RPB = RIM PROTECTION BAR

ROADIAN AT 4x4

PREMIUM ALL TERRAIN TRUCK, 4X4 & SUV



SUV



PICK UP

Benefits



Improved Handling & Braking Performance





Enhanced Driving Durability



Improved Fuel Consumption

Key Performance Indicators




Solid & Wide Center Block - Wide tread center block and solid block shape make good wear and steering performances



Optimized Groove Ratio - Optimal groove see-through makes balanced on & off road driving performances



Single Pitch Type - Single pitch type provides good handling and protects from irregular wear



Raised Off Shoulder Design - Raised off shoulder profile can protect abrasive shoulder wear on excessive driving

ROADIAN AT 4X4

Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 50										
20	*285/50R20	XL	116	S	4	IN PROGRESS			RPB	
	*265/50R20	XL	111	T	4	IN PROGRESS			RPB	
SERIES 65										
17	*265/65R17		112	T	4	IN PROGRESS				
	*245/65R17	XL	111	T	4	IN PROGRESS				
SERIES 70										
16	*265/70R16		112	H	4	IN PROGRESS				
	*245/70R16		107	T	4	IN PROGRESS				
	*235/70R16		106	T	4	IN PROGRESS				
15	*265/70R15		112	T	4	IN PROGRESS				
	*205/70R15		96	T	4	IN PROGRESS				
SERIES 80										
16	*205/80R16	XL	104	T	4	IN PROGRESS				

LT-SIZES

SERIES 75										
16	*LT 265/75R16		123/120	R	10	IN PROGRESS				
	*LT 225/75R16		115/112	S	10	IN PROGRESS				
15	*LT 235/75R15		104/101	S	6	IN PROGRESS				
SERIES 80										
16	*LT 205 R16		110/108	S	8	IN PROGRESS				
SERIES 85										
16	*LT 235/85R16		120/116	R	10	IN PROGRESS				
LT-INCH SIZES										
15	*31X10.50R15 LT		109	S	6	IN PROGRESS				

* NEW




RPB = RIM PROTECTION BAR

ROADIAN CT8

COMMERCIAL LTR



Benefits

-  **Excellent Wet Performance**
-  **Improved Stability**
-  **Long Lasting Tread Life**



Rib type shoulder blocks - Given the heavy load of LTR



Square shaped dimple - Delivers better durability




Biting edge - Improved traction






Straight groove - Improved drainage performance

Key Performance Indicators



ROADIAN CT8

Inch	DIMENSION	XL	LI	SI	PR				RPB	OE
SERIES 60										
16	225/60R16	C	105/103	T	6	C	A	1(69dB)		
	215/60R16	C	108/106	T	8	C	A	1(69dB)		
	215/60R16	C	103/101	T	6	C	B	2(70dB)		
	195/60R16	C	99/97	H	6	E	B	1(69dB)		
SERIES 65										
17	215/65R17	XL	104	T	4	C	C	2(70dB)		HYUNDAI STAREX
16	235/65R16	C	115/113	R	8	C	A	2(72dB)		
	225/65R16	C	112/110	S	8	B	B	2(70dB)		
	215/65R16	C	109/107	T	8	C	A	1(69dB)		
	205/65R16	C	107/105	T	8	C	A	2(70dB)		
	195/65R16	C	104/102	R	8	C	B	2(70dB)		
15	215/65R15	C	104/102	T	6	C	A	2(70dB)		
	205/65R15	C	102/100	S	6	C	B	2(70dB)		
14	175/65R14	C	90/88	T	6	E	B	1(66dB)		
SERIES 70										
15	225/70R15	C	112/110	T	8	C	A	2(71dB)		
	225/70R15	C	112/110	R	8	C	A	2(72dB)		
	215/70R15	C	109/107	T	8	C	B	2(71dB)		
	215/70R15	C	109/107	S	8	C	C	1(69dB)		FIAT DUCATO
	205/70R15	C	106/104	T	8	C	A	2(70dB)		
	205/70R15	C	104/102	T	6	E	A	2(70dB)		
	195/70R15	C	104/102	T	8	C	A	2(70dB)		
	195/70R15	C	104/102	S	8	C	B	2(70dB)		
14	205/70R14	C	102/100	T	6	E	B	2(70dB)		
	175/70R14	C	95/93	T	6	E	A	1(68dB)		
	165/70R14	C	89/87	R	6	E	A	1(68dB)		
13	165/70R13	C	88/86	R	6	E	B	2(72dB)		
SERIES 75										
16	225/75R16	C	121/120	S	10	B	B	2(71dB)		
	215/75R16	C	116/114	R	10	C	A	2(72dB)		
	205/75R16	C	113/111	R	10	C	A	2(70dB)		
	195/75R16	C	110/108	T	10	C	A	2(71dB)		IVECO DAILY
	195/75R16	C	107/105	T	8	C	B	1(69dB)		
	185/75R16	C	104/102	T	8	C	A	1(69dB)		
	175/75R16	C	101/99	R	8	C	A	1(69dB)		
14	215/75R14	C	112/110	T	8	C	A	1(69dB)		
	185/75R14	C	102/100	Q	8	E	B	1(68dB)		
SERIES 80										
16	205 R16	C	110/108	T	8	C	A	2(70dB)		
	205 R16	C	110/108	S	8	C	B	2(70dB)		
15	195/80R15	C	107/105	L	8	C	A	2(70dB)		
	185 R15	C	103/102	R	8	C	A	2(72dB)		
14	205 R14	C	109/107	T	8	C	A	1(69dB)		
	195 R14	C	106/104	R	8	C	A	1(68dB)		
	185 R14	C	102/100	T	8	C	A	1(68dB)		
13	165 R13	C	91/89	R	6	E	B	2(72dB)		

RPB = RIM PROTECTION BAR

Nblue 4Season

EUROPEAN ALL WEATHER




Benefits

 **Excellent Dry Performance**

 **Excellent Wet Performance**

 **Excellent Snow Performance**

Key Performance Indicators



Round & V Type Groove - Improved drainage and snow slush performance



Multi-Season Sipe - Optimized all-season grip



3D Sipe - All-season block rigidity



Uniform grip shape - Providing optimal grip

Inch	DIMENSION	XL	LI	SI	PR				RPB	M+S
SERIES 40										
18	225/40R18	XL	92	V	4	C	C	2(70dB)	RPB	M+S
SERIES 45										
17	235/45R17	XL	97	V	4	E	C	2(70dB)	RPB	M+S
	225/45R17	XL	94	V	4	E	B	1(69dB)	RPB	M+S
	215/45R17	XL	91	W	4	E	C	2(70dB)	RPB	M+S
SERIES 50										
17	225/50R17	XL	98	V	4	E	B	1(69dB)	RPB	M+S
	225/50R17		94	V	4	E	B	1(69dB)	RPB	M+S
	205/50R17	XL	93	W	4	C	C	2(71dB)	RPB	M+S
15	195/50R15		82	H	4	E	C	1(68dB)		M+S
SERIES 55										
17	225/55R17	XL	101	V	4	C	C	2(71dB)		M+S
	215/55R17	XL	98	V	4	C	C	2(71dB)		M+S
16	225/55R16		95	H	4	E	B	1(69dB)		M+S
	215/55R16	XL	97	V	4	E	B	1(69dB)		M+S
	205/55R16	XL	94	V	4	E	B	1(69dB)		M+S
	205/55R16	XL	94	H	4	E	B	1(68dB)		M+S
	205/55R16		91	H	4	E	B	1(69dB)		M+S
	195/55R16	XL	91	H	4	E	C	2(70dB)		M+S
15	195/55R15		85	H	4	E	B	1(69dB)		M+S
	185/55R15		82	H	4	E	C	2(69dB)		M+S
SERIES 60										
17	215/60R17		96	H	4	E	B	2(70dB)		M+S
16	215/60R16		95	H	4	C	B	1(69dB)		M+S
	205/60R16	XL	96	H	4	E	B	2(70dB)		M+S
15	205/60R15		91	H	4	E	B	2(70dB)		M+S
	195/60R15		88	H	4	E	B	2(70dB)		M+S
	185/60R15	XL	88	H	4	E	B	2(69dB)		M+S
14	195/60R14		86	T	4	E	C	1(69dB)		M+S
	195/60R14		86	H	4	E	B	1(68dB)		M+S
	185/60R14		82	H	4	E	C	2(69dB)		M+S
	185/60R14		82	T	4	E	E	2(69dB)		M+S
	165/60R14		75	H	4	E	C	1(67dB)		M+S
SERIES 65										
16	215/65R16		98	H	4	E	B	1(69dB)		M+S
15	195/65R15		91	V	4	E	B	1(68dB)		M+S
	195/65R15		91	H	4	E	B	1(68dB)		M+S
	195/65R15	XL	95	T	4	E	B	1(68dB)		M+S
	195/65R15		91	T	4	E	B	1(68dB)		M+S
	185/65R15		88	H	4	E	B	2(69dB)		M+S
	185/65R15		88	T	4	E	B	2(69dB)		M+S
	175/65R15		84	T	4	E	B	2(69dB)		M+S
	185/65R14		86	T	4	E	C	2(69dB)		M+S
14	175/65R14		82	T	4	E	C	2(69dB)		M+S
	165/65R14		79	T	4	E	C	1(68dB)		M+S
	155/65R14		75	T	4	E	C	1(68dB)		M+S
	175/65R13		80	T	4	E	B	2(69dB)		M+S
SERIES 70										
14	175/70R14		84	T	4	E	B	2(69dB)		M+S
13	175/70R13		82	T	4	E	C	1(68dB)		M+S
	155/70R13		75	T	4	E	C	2(69dB)		M+S

RPB = RIM PROTECTION BAR · M+S = MUD + SNOW

NEXEN TIRE EUROPE s.r.o.

Bucharova 1314/8, 158 00 Praha 13, Czech Republic

T +420 242 493 216 **E-mail** eslee@nexentire.com

nexentire.com/cz

NEXEN TIRE GERMANY

Reifenhandel-Niederlassung Deutschland

Lise-Meitner-Str. 1 | 65779 Kelkheim

T +49(0)6195 9713 0 **E-mail** marketing.nte@nexentire.com

nexentire.com/de

NEXEN TIRE FRANCE

Le Solaris, 210 Avenue Jean Jaurès | 69007 Lyon

T +33(0)4 8109 1113 **E-mail** nexenlyon@nx-france.fr

nexentire.com/fr

NEXEN TIRE ITALY

Centro Milanofiori, Strada 6, Palazzo N1 | 20089 Rozzano

T +39 02 89292 71 **E-mail** nexentireitalia@nexentire.com


nexentire.com/it

NEXEN TIRE SCANDINAVIA

Kanalvägen 7B, Infra City | 19461 Upplands Väsby

T +46(0)8 590 80 800 **E-mail** peter.choi@nexentire.com

www.nexentire.com



NEXEN TIRE